


When do fishes become juveniles?


edited by
Gordon H. Copp, Vladimír Kováč & Karol Hensel



When do fishes become juveniles?

Developments in environmental biology of fishes 19

Series Editor
EUGENE K. BALON



When do fishes become juveniles?

Guest Editors:

Gordon H. Copp, Vladimír Kováč & Karol Hensel

Reprinted from *Environmental biology of fishes*, Volume 56 (1–2), 1999
with addition of species and subject index



SPRINGER-SCIENCE+BUSINESS MEDIA, B.V.

A C.I.P. Catalogue record for this book is available from the library of Congress

ISBN 978-90-481-5305-3 ISBN 978-94-017-3678-7 (eBook)
DOI 10.1007/978-94-017-3678-7

Cover design by Eugene and Janusz Balon
using tails of a roach larva and juvenile from the 1956 paper

The logo
designed by Elżbieta Sierakowska-Copp

Printed on acid-free paper

All Rights Reserved
© 1999 Springer Science+Business Media Dordrecht
Originally published by Kluwer Academic Publishers in 1999
No part of the material protected by this copyright notice may be reproduced or
utilized in any form or by any means, electronic or mechanical,
including photocopying, recording or by any information storage and
retrieval system, without written permission from the copyright owner.

CONTENTS

Prelude: looking at early development in fishes , by V. Kováč & G.H. Copp	7–14
Keynote presentation	
Alternative ways to become a juvenile or a definitive phenotype (and on some persisting linguistic offenses), by E.K. Balon	17–38
Part 1. Reflections on early ontogeny and metamorphosis	
Features of transition from larva to juvenile in fishes with different types of early ontogeny, by D.A. Pavlov	41–52
Thyroxine as a mediator of metamorphosis of Atlantic halibut, <i>Hippoglossus hippoglossus</i> , by J.S. Solbakken, B. Norberg, K. Watanabe & K. Pittman	53–65
Early development of the sofie, <i>Chondrostoma toxostoma</i> , by R.E. Gozlan, G.H. Copp & J.-N. Tourenq	67–77
The reproductive biology and early ontogeny of the mouthbrooding Banggai cardinalfish, <i>Pterapogon kauderni</i> (Perciformes, Apogonidae), by A. Vagelli	79–92
The onset of the juvenile period in carp, <i>Cyprinus carpio</i> : a literature survey, by L. Vilizzi & K.F. Walker	93–102
Part 2. Organism-environment relationships	
Morphometry of the stone loach, <i>Barbatula barbatula</i> : do mensural characters reflect the species' life history thresholds? by V. Kováč, G.H. Copp & M.P. Francis	105–115
Correspondence between ontogenetic shifts in morphology and habitat use in minnow <i>Phoxinus phoxinus</i> , by P.D. Simonović, P. Garner, E.A. Eastwood, V. Kováč & G.H. Copp	117–128
Fish, flows and flood plains: links between freshwater fishes and their environment in the Murray-Darling River system, Australia, by P. Humphries, A.J. King & J.D. Koehn	129–151
Comparison of growth plasticity in the laboratory and field, and implications for the onset of juvenile development in sofie, <i>Chondrostoma toxostoma</i> , by R.E. Gozlan, G.H. Copp & J.-N. Tourenq	153–165
Part 3. Ontogeny of predator-prey interactions	
A review of predation impact by 0+ fish on zooplankton in fresh and brackish waters of the temperate northern hemisphere, by T. Mehner & R. Thiel	169–181
Seasonal and diel utilisation of inshore microhabitats by larvae and juveniles of <i>Leuciscus cephalus</i> and <i>Leuciscus leuciscus</i> , by E. Baras & J. Nindaba	183–197
Seasonal shifts in day-time resource use of 0+ barbel, <i>Barbus barbus</i> , by A. Bischoff & J. Freyhof	199–212
Vertical distribution and feeding activity of metamorphosing sole, <i>Solea solea</i> , before immigration to the Bay of Vilaine nursery (northern Bay of Biscay, France), by F. Lagardère, R. Amara & L. Jossard	213–228

Part 4. Behaviour and ontogeny	
Ontogeny of aggressive behaviour in schools of yellowtail, <i>Seriola quinqueradiata</i> , by Y. Sakakura & K. Tsukamoto	231–242
School formation and concurrent developmental changes in carangid fish with reference to dietary conditions, by R. Masuda & K. Tsukamoto	243–252
Ontogeny of diel pattern of stream-margin habitat use by emerging brown trout, <i>Salmo trutta</i> , in experimental channels: influence of food and predator presence, by J.-M. Roussel & A. Bardonnet	253–262
Size-based variation in somatic energy reserves and parental expenditure by male small-mouth bass, <i>Micropterus dolomieu</i> , by R.W. Mackereth, D.L.G. Noakes & M.S. Ridgway	263–275
To be a juvenile and not to be a larva: an attempt to synthesize , by K. Hensel	277–280
Species and subject index	281–289

Species and subject index

- Acanthochromis polyacanthus* 21
Acantocyclops vernalis 170, 173
Activation 25, 28, 32, 50, 68, 69, 84, 85
Activity rhythm 194
Adenomera 18
Aggressive
 drive 239
 defence 82, 83
 harassment 84
Albula vulpes 27
Alderfen Broad 172
Allometry 17, 105, 106, 114, 249 (see also Growth)
 gradual 105, 107
Allopatric 32
Alprehost 17, 23, 29, 93
Altricial 17, 25, 26, 29, 30, 32, 91, 100
 phenotype 23
 form 10, 17, 99, 154, 163
Ambassis agassizii 137
Ambicolouration 53
Ambloplites rupestris 170
Ametamorphic 93
Amphidromous
 ayu 239
 goby 25
Amphidromy, freshwater 28
Amphipoda 210, 220
Anabanch 132, 140, 142
Anarhichadidae 42
Anarhichas lupus 41, 42
Anchovy 247
Anguilla anguilla 93
Aplodinotus grunniens 176
Apogon 81, 89
 affinis 89, 90
 erythrinus 90
 imberbis 90
 lineatus 90
 maculatus 90
 maculiferus 90
 menesemus 90
 niger 83, 90
 notatus 90, 91
 rueppelii 89, 90
 semilineatus 89, 90
Apogonichthys 89
 waikiki 90
Apogonidae 79, 88, 89
Archamia 89
Artemia 54, 88, 146, 233, 248, 249
 salina 81, 232
Astrapogon 89
Auditory capsule 43

Bacillariaphycea 194
Barbatula barbatula 105, 106, 118
Barbel 184, 199, 201, 204–210
 zone 184
Barbus barbus 184, 199
Bass, sea 55
Bautzen Reservoir 174
Bay of Biscay 213, 215
Bearer 26, 28, 49
 live 19, 48
Behaviour
 adaptation 157
 aggressive 68, 231–240, 253
 aim 233
 antipredatory 243, 244, 250, 251
 association 244, 246, 247, 251
 avoidance 185
 change 112
 chase 233–235, 240
 co-operative 231
 dominant 233–240
 feeding 63, 93, 154, 220, 225
 foraging 253
 gregarious 231
 intermediate 233–239
 mating 79, 80
 migratory 249
 model 239
 optimal foraging 183
 post-spawning 83
 pre-spawning 81, 82
 reproductive 91, 231
 rheopositive 224
 schooling 45, 231, 232, 235, 240, 243–246, 249–251
 shivering 231
 social 75, 99, 231
 subordinate 233–240
 swimming (see Swimming)
 territorial 139, 253
 transition 232, 234, 237
Benthivory 96, 97
Bidyanus bidyanus 137
Billabong 140–142, 145
Bifurcation 119
Biodiversity 18
Bioenergetics 169
 model 173–175, 177

- Bivalvia 210, 220
 Blackfish
 freshwater 146
 river 133, 139
 Blastoderm 69
 Blastodisc 22, 85
 Bleak 184
 Bluegill 172
 Bonefish 27
Bosmina
 longirostris 170–172
 longispina maritima 171
 sp. 170, 175
 Bottleneck effect 222
Brachionichthys hirsutus 21
Brachionus plicatilis 232
 Bream
 sea 55
 zone 184
 Breeding 142, 232
 Buccal
 cavity 17, 32
 pouch 33, 42, 51, 79, 83
 Bullhead 118, 253, 254, 261
 Burbot 176
Bythotrephes 176
 Calcification 33, 88, 231, 235–237, 244, 247
 Cannibalism 68, 99, 231, 232, 235, 236, 240
 Capsule 19, 43
 Carangid 244, 245, 249
Caranx caballus 249
 Cardinal fish, Banggai 21, 79, 89
 Carnivore, opportunistic 141
 Carp 93–100, 131
 gudgeon 133, 134, 140, 146
 shoot 97
 Carrying capacity 261
 Caterpillar 18, 20
 Catfish 146
 freshwater 133, 137, 139, 140, 146
 marine ariid 32
 Cell
 epithelial 53, 55, 56, 58, 60, 62
 eucaryotic 19
 somatic 19
 Cephalization 69
Ceriodaphnia quadrangula 170
 Circadian rhythm 225
 Cladoceran 146
 Chaetognatha 23
Chaoborus 176
Cheilodipterus 81, 89
 lineatus 90
 Chironomidae 145, 146, 192, 199, 205, 210
Chlorophycea 194
 Chlorophyll a 135
 Chondrification 86–88
Chondrostoma 163
 nasus 67, 154, 184
 toxostoma 10, 67–73, 76, 153–161
 Chorion 19–22, 84
 filament 79, 80, 84, 91
 Chromatophores 59, 86
 Chub 74, 183–194
 Chydorid 135
 Cichlid 32
 Circulation 87
 blood 70, 85
 system 67, 75, 76
 Cladoceran 98, 135, 146, 169, 170, 172, 175, 176, 178, 210, 220
 Cleavage 22, 69, 80, 84, 85
Clupea harengus 170, 173, 225
 pallasi marisalbi 41, 42
Clupeonella delicatula 28
 Cod 225
 Murray 130, 133, 136, 137, 140, 142, 145, 146
 Coelacanth 21, 33
 Coleopteran 210
 Colloid 53, 55, 56, 58
 Colonisation 192, 194
 Competition
 interspecific 209
 intraspecific 98
 Conservation genetics 154
 Consumption/biomass ratio 173
 Copepoda 135, 146, 169, 170, 172, 173, 175–177, 210, 220, 254
 calanoid 146, 173, 175
 cyclopoid 170, 172
 Coral reef 24
 Coregonidae 253
 Cortisol 53–55, 63, 233, 235
 accumulation 237
 concentration 231, 235, 236, 238
 level 231, 236, 237
 secretion 237
Cottus gobio 118, 253, 254
 Courtship 80, 89
 display 81, 91
 Cover
 riparian 209
 instream 209
 Crappie, black 176
Craterocephalus fluviatilis 137
 Crayfish, Murray 140
 Critical
 period 237, 244
 swimming speed 192
 Crustacean 173, 221
Cyclops sp. 173
 strenuus abyssorum 170
 vernalis 171, 175
Cyphotilapia frontosa 21, 25, 32, 33, 42, 49, 51
 Cyprinidae 74, 98, 118, 153, 177, 183, 184, 192, 200, 209

- Cyprinus carpio* 93–95, 131
haematopterus 95
 Cytoplasm 22, 23
- Dab 223
 Dace 75, 183–194, 209
 Damselfish 21
Daphnia 146, 173–177, 254
cucullata 171, 174
galeata 171, 173, 174
galeata mendotae 171, 173, 175
hyalina 170–172
longispina 173
pulex 171, 173
retrocurva 171, 173
 sp. 170
- Day/night 219
 variation 223
- Definitive form 114
- Demersal 21, 133, 213
- Development
 continuous 8
 direct 17, 24, 29, 32, 33, 51, 79, 89, 93, 262
 indirect 17, 26, 30, 51, 118
 non-gradual 7
 precocial 33
 saltatory 24
 threshold 9
- Diademia* sp. 90
- Diadromous 134
- Diatoms 220
- Dicentrarchus labrax* 55
- Dichotomy 18
- Diel 68, 183
 activity 213
 cycle 183
 displacement 258
 dynamics 183, 184, 186, 187, 191–195
 feeding 220, 225
 migration 213–225
 pattern 187, 194, 253, 254, 257, 259, 261
 variation 136, 163
 vertical migration (see Migration)
- Dietary
 overlap 201
 shift (see Shift)
- Differentiation 25, 154, 178
 bipolar 22
 fin 186
- Diffusion 214
- Digestibility 178
- Digestive system 210
- Diptera* 192, 205, 209
- Discharge 144
- Dispersal 17, 24
 night 194
- Dispersion index 204
- Displacement, downstream 254
- Dixidae 210
- Dorosoma cepedianum* 170, 172
- Drag reduction 163
- Drift 138, 139, 205, 233, 250, 261
 density 210
- drifting seaweed 232, 240
- drum, freshwater 176
- dwarf form 10, 163
- Ecological
 species 183
 transition 25
- Ecosystem 18
 integrity 183
- Eel 93
 catadromous 25
leptocephalus 24
- Eelpout 41–43, 46, 49, 50, 51
- Egg 254
 demersal 132
 deposition 49, 50
 diameter 68–70
 envelope 9, 19, 20, 22, 42, 91
 planktonic 22
 secondary envelope 19, 20
 size 21–26, 49
 transfer 80–83, 91
- Electivity
 index 204
 relativized 201
- Eleotridae 130, 146
- Elodea* sp. 108, 111
- Elopomorph 24
- Emergence 146, 253, 254, 257, 258, 260, 262
- Emigration 140, 183, 192
- Endocrinological cascade 63
- Endogenous 25, 28, 29, 97
 diel rhythm 214
- Energetic
 cost 75
 gain 261
- Environmental perturbation 118
- Eleutherodactylus* 18
- Ephemeroptera 199, 205, 210
- Epiboly 22, 69
- Epigenetic process 23, 26
- Etap 18, 94
- Etymology 21
- Euastacus armatus* 141
- Euphasia pacifica* 80
superba 80
- Eurytemora affinis* 170, 171, 173, 175
- Evolution 19, 32
 divergence 23
 hypermorphic 29
 paedomorphic 29
- Extinction 32, 143

- Eye
 - lens 85
 - migration 53, 54, 56, 58, 62, 63, 218, 222, 223
 - pigmentation 244
- Fecundity 17, 26, 29, 49, 50, 80, 91
- Feeding
 - ability 225
 - activity 213, 219, 220, 224, 225
 - behaviour (see Behaviour)
 - exogenous 7, 9, 17, 19, 25, 26, 28, 32, 42, 50, 51, 68, 70, 72, 81, 119, 120, 127, 159, 161, 237
 - efficiency 218
 - endogenous 144, 146
 - exogenous feeding 144, 146
 - first oral 23, 25, 50, 218
 - function 127
 - mixed 25, 33
 - pattern 214
 - rhythm 213, 214, 221
 - selectivity 174
- Feral form 99
- Fertility 83
- Fertilization 25
- Fetal tissue 33
- Finfold 21, 30, 42, 43, 46, 73, 85, 119, 153, 161, 204
 - differentiation 72, 74
 - resorption 94
- Fishway 138
- Flatfish 53, 58, 59, 61, 63, 213, 214
- Flood
 - pulse concept 132, 136, 141, 142
 - recruitment model 131, 132, 138
- Flooding 129, 131–133, 136, 138–140, 142, 143, 147, 199
- Flounder 93, 223
 - Japanese 54, 60, 62, 237
 - starry 54
 - winter 59
- Flow 129, 133–136, 138, 139, 141–143, 145, 147, 185, 200
- Foa 89
 - brachygramma* 90
 - madagascariensis* 90
- Follicle 53, 55
 - cell 19, 20
- Food web 140
- Foraging
 - activity 163
 - behaviour (see Behaviour)
 - optimal 176
 - pattern 163
- Frog 18, 29
- Fullness index 213, 218
- Functional describer 183
- Gadopsis marmoratus* 139
- Galaxias* 134
- Galaxias olidus* 133
 - rostratus* 133, 137
- Galeichthys feliceps* 32
- Gamete 30, 68, 80, 84
- Gametogenesis 136, 138
- Gape 133–135, 145
 - limited 177, 199
 - size 133, 134, 146
 - width 176
- Gas bladder 71
- Gasterosteus aculeatus* 171, 175
- Gastric
 - evacuation rate 173
 - gland 58
- Gastropod 220
- Generalist 163
- Genetic heterogeneity 99
- Germ ring 69
- Gerontomorphosis 29
- Gill chamber 17
- Glosamia* 89
- Gluconeogenesis 237
- Gobio gobio* 184
- Goby 28
 - round 42
- Gonad 30, 127, 132, 138, 163
- Gonadosomatic index 80
- Gradualist 8, 9
- Grayling 117, 261
- Growth
 - allometric 25, 93–96, 105–107, 117, 126, 153, 243, 244, 247, 251
 - hormone 164
 - isometric 95, 105, 107, 110, 112
 - opportunity 164
 - proportional 119
 - plasticity 153
 - relative 10, 68, 74, 76, 96, 105, 106, 112–114, 118, 122, 126, 127, 153, 156, 158, 163, 249
- Guarder 26–29
- Gudgeon 130, 133, 137, 146, 184
 - flathead 13, 134, 137, 140, 145
 - western carp 137, 146
- Guppy 247
- Gut
 - capacity 201
 - evacuation 225
 - fullness 201, 205, 209, 220, 222
- Gymnocephalus cernuus* 177
 - baloni* 16
- Habitat
 - calm 194
 - diel shift (see Shift)
 - partitioning 183
 - suitability 126, 261
 - transition 24
 - use 7
- Halibut 55–57, 59, 61–63
 - Atlantic 11, 53, 63

- Handfish, spotted 21
 Hardyhead, Murray 137
 Harpacticoid 220
 Hatching 9, 20, 23, 25, 28–30, 48–50, 54, 68, 71, 81, 88, 89, 93, 133, 244
 Hemoglobin 30
 Herring 41–46, 49, 50, 173, 175, 225, 247
 bony 137, 138, 140
 Heterochrony 23, 41, 42
Hippoglossus hippoglossus 11, 53
 Hirudinea 210
 Homeorhesis 29, 42, 95
 Hormone cascade 53
 exogenous 58, 60
 Hydracarina 205, 210
Hypseleotris
 klunzingeri 137
 spp. 134
 Ichthyoplankton 19
 Immigration 140, 183, 213, 214, 225
 Inflexion point 105
 Insemination 42, 49, 50, 67, 68, 91
 artificial 43
 Inshore
 -offshore movement 183, 194
 refuge (see Refuge)
 transfer 213
 Instantaneous state 23
 Interaction
 agonistic 231, 233, 235, 239
 cell-to-cell 9
 organ-to-organ interaction 8, 9, 42, 114
 organism-to-environment interaction 8, 9, 42, 114, 154, 163
 social 93, 97, 231
 tissue-to-tissue 9
 trophic 169
 Inter-individual distance 245–247
 Intestinal loop 186, 217
Isochrysis galbana 54
 Isometry 95, 96, 105, 106, 249 (see also Growth)
 Isopoda 210
 J-posture 231–238
 Jollytail, Murray 137
 Juvenile (see Transition)
 Juvenilization 29
 k-selection 26
 killifish, rainwater 94
 krill 80
Labeotropheus 49
 fuelleborni 28
 trewavasae 32
 Lake
 Hume 139
 Mulwala 139
 Opinicon 172
 Shelbyville 172
 Tanganyika 32, 42
 Lamprey 10
 Larva (see Transition)
 Lateral line 243
Latimeria chalumnae 25, 28, 33, 49
 Lecithotrophic 18
Leiopotherapon unicolor 137, 138
Lepomis
 gibbosus 170
 macrochirus 170, 172
Leptodora 176
Leuciscus
 cephalus 74, 183, 184, 186–193
 leuciscus 75, 183, 184, 186–193, 209
 Life cycle 129, 132, 141, 143
 Life history 19, 21, 28, 131
 interval 205
 mode 147
 model 10, 17, 19, 23, 24, 28, 29, 91, 93, 94, 111
 style 26, 144
 theory 20
 threshold 127
 transitory 23
Limanda limanda 223
 Lipid
 content 28
 droplet 85
 globule 84
 Littoral 135
 Loach 113
 stone 105–108, 111, 114, 118
 Locomotion 96, 99
 Longevity 144
Lota lota 176
 Low flow 194
 recruitment hypothesis 129, 131, 132, 134, 136, 144, 146, 147
Lucania goodei 30
 parva 30, 94
 Lumen 53, 55, 56, 62
Luvarus imperialis 26
Maccullochella macquariensis 137, 139
 peelii 130, 137
Macquaria ambigua 130, 137
 australisica 130, 137
 Margin 192, 205
 Match/mismatch hypothesis 144
 Mating 89
 process 91
 Maturation 25, 30, 131, 136, 138
 ovary 23, 30
 Maturity 26
 Meckel's cartilage 86
 Melanophore 43, 46, 71–75, 85–87, 118, 120

- Melanotaenia fluviatilis* 134, 137
Membrane 19
Mensural character 7, 105–107, 109–114, 117–119, 121–124, 126, 127, 155, 160, 161
Mesocosm 169, 172–175
Metabiosis 10, 11, 25, 153, 154, 163, 164
Metabolic
 cost 178
 rate 95, 99
 requirement 177
Metamorphic 10, 164
Metamorphosis 7, 10, 11, 17, 20, 23–25, 27, 28, 30, 32, 42, 49, 53, 54, 56, 57–63, 67, 74, 91, 93–96, 106, 118, 119, 132, 153, 154, 163, 164, 213, 214, 218, 222–226, 231, 237–239, 251
 cataclysmic 24, 25, 30
 second 10, 11, 25
Microchirus variegatus 223
Microcrustacean 135, 145
Migration 48, 74, 99, 131, 138, 139, 143, 214, 231, 232, 249
 drive 239
 nocturnal 194
 vertical 213, 214 (see also *Diel*)
Minnow 10, 117, 118, 120–127, 163, 184, 209
Mogurnda adspersa 137
Morone americana 171, 174
Morphotype 155, 156, 163
Morula 22, 69
Mouth gape (see *Gape*)
Mouthbrooder 32, 89, 90
Mucus 10, 161, 163
Mussel 80
Mutual attraction 245–249, 251
Myotome 54–59, 69, 71, 72
Myriophyllum spp. 108, 111
Mysidacea 176
- Nannochrolopsis* sp. 232
Nannoperca australis 137
Nase 67, 74, 75, 154, 184
Nematalosa erebi 137, 138
Nematoda 210
Neogobius melanostomus 28, 42
Nervous system 250
 central 247, 249, 250
Nest
 building 144
 guarding 32
Niche 10, 157, 250
 breadth 95
 niche shift 205
Nocturnal pattern 261 (see also *Migration*)
Nonequilibrium thermodynamics 8, 18
Non-guarder 26, 28, 46, 74
Non-migratory 139
Notochord 68, 69, 72, 73, 85, 87, 154, 161
- Nutrition**
 endogenous 19, 20, 21, 96
 exogenous 96
 value 178
- Ocellate spot** 118
Oil
 droplet 46
 globule 21, 81, 84
Olfactory pit 10
Oligochaeta 210
Olive perchlet 137
Oncorhynchus mykiss 131, 261
Ontogenetic
 interval 119, 169, 178, 187, 193
 process 157
 rate 10, 153, 155, 158, 163, 164
 scale 118
 trajectory 95–99, 119, 126
Ontogeny 9, 22, 23, 41
 direct 22–25, 41, 50, 91
 gradual 9, 94
 indirect 21–25, 41, 49, 50
 intermediate 24
 non-gradual 41
 non-saltatory 7
 saltatory 7–9, 18, 23, 41, 51, 67, 94, 105, 111, 127, 153
 transitory 41
Oocyte 20, 80, 81, 84
Optokinetic response 243–248
Oral cavity 42, 79, 87, 89, 91
Oreochromis niloticus 32
Organogenesis 222, 231
Osmerus eperlanus 171, 174
Ossification 43, 46, 49, 59, 88
 skeletal 48
Ostracoda 135, 210, 220
Ovary 81
Overwinter period 191, 194
Oviparity 20, 41
Ovulation 49, 136, 138
Ovum 9, 24, 67, 68, 81, 91
 envelope 69
Oxbow lake 132
- Paedomorphosis** 24, 29, 33
Paralichthys olivaceus 54, 237
Parental care 29, 133, 134, 144
 protection 91
Parturition 20, 25, 33, 49, 50, 51
Pecking order 239
Pelagic phase 49, 214
Perca flavescens 170, 172
Perca fluviatilis 131, 170, 173, 194
Perch 177, 194
 Eurasian 173–175, 177
 golden 130, 131, 133, 136–140, 142, 145, 146
Macquarie 130, 137

- Perch – Continued**
- redfin 131
 - silver 133, 137, 139, 145, 146
 - southern pygmy 133, 137
 - spangled 137, 138
 - white 174
 - yellow 172, 173, 176, 177
- Percina caprodes** 170
- Performance**
- metabolic 170, 172, 176
 - morphological 169
- Perivitelline fluid** 42
- space 21, 22, 68, 70, 81, 84, 85
- Perna canaliculus** 80
- Phaeoptyx** 89
- conklini* 90
- Phenotype** 7, 17, 20, 154
- definitive 17, 24–32, 53, 61, 93, 94, 163
 - dispersal 23
 - final 61
 - plasticity 164
 - precocial 23
- Philypnodon grandiceps** 134, 137
- Photophobia** 70, 75
- Photoperiod** 136–138
- Photoreaction** 46
- Phototaxis** 236, 243–246, 249
- Phoxinus phoxinus** 10, 117, 118, 184, 209
- Phylogenetic position** 75
- Phytolithophilous** 184
- Pigmentation** 46, 53, 56, 58, 59, 61–63, 69, 70–76, 86–88, 95, 118, 120, 134, 243
- retina 244
 - visual 30
- Piscivory**
- facultative 177
- Placenta** 17
- analogue 23, 25
- Plaice** 54
- North Sea 214, 223
- Planktonic**
- dispersal 21, 22, 91
 - larvae 21
 - phase 89
 - soup 24
 - transport 21
- Platichthys flesus** 223
- stellatus* 54
- Plecoglossus altivelis** 239
- Plecoptera** 210
- Pleuronectes americanus** 59
- platessa* 54, 214
- Point abundance sampling** 118, 154, 200
- Polychaete** 220
- Pomoxis nigromaculatus** 170, 176
- Precocial** 17, 25, 26, 29, 32, 79, 164
- form 10, 99, 154, 163, 164
- Predation**
- avoidance 157, 183, 209, 240, 254, 261
 - particulate 176
 - piscivorous 177
 - pressure 261
 - risk 253, 262
 - selective predation 176
- Prey preference** 201
- Primary male** 82
- Propulsion** 163
- Protein synthesis** 178
- Proteolytic**
- activity 178
 - enzyme 19
- Protoplasm** 20
- Pseudocaranx dentex** 10, 238, 243
- Pseudopleuronectes herzensteini** 93
- Pterapogon** 89
- kauderni* 21, 79, 81, 82, 87, 89–91
- Pterygiophore** 59, 86, 88
- migration 58
- r-selection** 26
- Rainbowfish, crimson-spotted** 133, 134, 137, 140, 145
- Rank reversal** 239
- Ranunculus fluitans** 122, 126
- Ranunculus** sp. 118
- Recolonization** 138
- Recruitment** 75, 129, 131, 132, 136, 143, 147, 183, 213, 243
- Refuge** 135, 194
- nearshore shallow 194
 - predation 192
- Remodelling** 27, 42, 67, 74, 75, 93, 112, 126, 127, 153, 163, 226, 231
- Reproductive**
- behaviour (see Behaviour)
 - capacity 175
 - guild 26, 184
- Resource**
- availability 176
 - partitioning 183
- Respiration**
- cutaneous 177
 - function 127
 - system 247
- Retropinna semoni** 134, 137
- Rhabdamia** 89
- Rheotaxis** 243, 245, 246
- River**
- Amazon 141
 - Amur 99
 - Danube 67, 99, 209
 - Darling 144
 - Frome 117, 118
 - Garonne 74, 153–155
 - Great Ouse 106, 108
 - Lachian 136
 - Lee 117, 118, 192

- River – *Continued*
- Mekong 141
 - Meuse 184
 - Mississippi 98
 - Murray 98, 100, 139, 144
 - Murrumbidgee 98, 100, 142
 - Ourthe 183, 185
 - regulation 146–148, 200
 - Rhine 200
 - Sieg 199, 200
 - Thames 135
 - Volga 99
 - Zaire 141
 - Roach* 10, 94, 106, 117, 164, 172, 175, 178, 184
 - Rotifera* 135, 145, 146, 169, 176, 192, 232
 - Ruffe* 177
 - Rutilus rutilus* 10, 94, 106, 117, 164, 169, 172, 184
 - Ryukyu Islands 249
 - Salmo trutta* 131, 194, 253
 - Salmonidae* 51, 164, 183, 239, 253, 254
 - anadromous 24
 - coho 238
 - Saltatory* 7–10, 18, 23, 41, 51, 94, 105, 106, 154 (see also *Ontogeny*)
 - Salvelinus namaycush* 28
 - Sanddiver* 21
 - Scale* 30, 49, 74, 163, 185, 204, 243
 - cover 10, 11, 118, 119, 153, 157, 161, 186
 - formation 5, 117, 245, 250, 251
 - School formation* 243, 244, 247–249, 249 (see also *Behaviour*)
 - Scottish loch* 173
 - Sea*
 - Baltic 173, 175
 - bass 55
 - bream 55
 - urchin 90
 - White 42, 43, 46, 48, 49
 - Secondary male* 82
 - Sensory ability* 177
 - Separation angle* 245–247
 - Septum* 10, 161
 - nasal 95, 119, 153, 157
 - Seriola quinqueradiata* 8, 231, 232, 243, 244, 248
 - Sessile*
 - habit 21
 - state 91
 - Settlement* 57, 63, 89, 213, 214, 225, 226, 257
 - Shad, gizzard* 172, 173, 176
 - Shelter* 185
 - predator 209
 - habitat 191, 194
 - riparian 183, 185, 187, 189, 191
 - vegetation 187, 191
 - Shift*
 - diel 261, 262
 - dietary 8, 178
 - displacement avoidance 262
 - habitat 10, 93, 106, 111, 127, 135, 163, 178, 200, 209, 213, 222, 231, 251, 253
 - heterochronous 23
 - morphological 11, 105, 112
 - niche 199, 205, 231
 - ontogenetic 117, 199
 - resource use 126
 - Shooting* 97–99, 100
 - Sicyopterus lagocephalus* 28
 - Silverside* 247
 - Simuliidae* 210
 - Siphamia* 89
 - corallicola* 90
 - Size*
 - structure 184, 187, 192
 - range (see *Transition*)
 - Skeleton*
 - axial 33, 43, 46, 49
 - calcification 30, 32
 - cartilaginous axial 32
 - Smelt* 174
 - Australian 133, 134, 137, 140, 145
 - Smolting plasticity* 164
 - Social rank* 231, 233, 235, 237–240
 - Sofie* 10, 11, 67–76, 153–164
 - Sole* 216–219, 221, 223–225
 - common 213
 - thickback 223
 - Solea solea* 213, 218
 - Sparus aurata* 55
 - Spawning* 74, 75, 84, 98, 131–142, 144, 147, 214, 249
 - mode 142
 - protracted 134
 - serial 134
 - Sperm* 9, 84, 91, 154
 - Sphraenia* 89
 - Sphraenia orbicularis* 89, 90
 - Split linear regression* 107–110
 - Sprat* 175
 - Sprattus sprattus* 171, 175
 - Squamation* (see *Scale formation*)
 - Stabilised state* 8, 9, 41, 114, 127
 - Starvation* 213, 214, 226, 237, 239
 - Stizostedion*
 - lucioperca* 171
 - vitreum* 28, 171, 173
 - Stress response* 163, 238
 - Stickleback, threespine* 175
 - Striped jack* 10, 11, 238, 243, 244, 249–251
 - Suffocation* 8, 235
 - Suitability score* 120
 - Survival* 145, 226, 250, 255
 - Swimbladder* 43, 46, 72–75, 86, 95, 119, 126, 213, 224, 226
 - differentiated 222

- Swimming**
 - ability 10, 75, 105, 106, 135, 204, 209, 245
 - activity 214, 224
 - behaviour 214, 225
 - capacity 75, 112, 154, 163, 192, 209
 - costs 209
 - sustainable speed 199
- Sympatric** 32
- Synchronisation** 163
- Tadpole** 18, 20, 21, 29
- Tandanus tandanus* 137, 139
- Taoism** 18
 - dichotomy 41
 - dualism 8
- Tench** 131
- Tetraselmis* sp. 54
- Theragra chalcogramma* 225
- Threshold** 8, 9, 23, 41, 51
 - ontogenetic 106, 158, 163
 - plasticity 154, 158
 - saltatory 8, 9, 23
 - stabilized 17
- Thymallus thymallus* 117, 261
- Thyroid** 53, 61, 236
 - follicle 56, 58, 60, 61, 63
 - hormone 54, 59, 233, 237
- Thyroxine** 53–55, 58, 62, 63, 233
 - exogenous 53, 54, 56, 57, 59, 62
- Tilapia rendalli* 32
- Tinca tinca* 131
- Tobi koi** 97
- Top-down force** 176
- Trachipterus trachypterus* 31
- Trachurus* 249
- Transfer process** 214
- Transition** 10, 41
 - interval 144
 - juvenile 172
 - larva-to-juvenile 7, 10, 93, 99, 105, 159, 164, 169, 172
 - morphological 25, 41
 - period 262
 - size range 186–189, 193
- Transport, longitudinal** 142
- Transversal movement** 259
- Trichonotus* 21
- Trichoptera** 192, 210
- Triggering mechanism** 231
- Trout** 194, 253, 254
 - brown 131, 255, 256, 261
 - rainbow 131, 238, 239, 261
- Trout cod** 133, 137, 139
- Urostylar torsion** 218
- Urostyle** 68, 70, 74, 75, 154
- Uterine cannibalism** 25
 - histotroph 17
 - milk 25
- Vascular system** 71
- Vicentia* 89
 - conspersa* 90
- Vitelline**
 - circulation 85
 - membrane 20
 - sac 86
- Vitellogenesis** 22, 24
- Vitreous humour** 244
- Viviparity** 17, 247
 - facultative 41, 48
 - obligate 41
- Walleye** 173, 177
 - pollock 225
- Wentworth scale** 118, 185
- Window of opportunity** 11, 53, 61–63
- Wolfish** 41–43, 46–51
- Yakushima Islands** 249
- Yellow tail** 8, 231–249
- Yolk** 17, 20, 25, 30, 32, 84, 85, 87, 88
 - density 21, 24, 25, 26, 32, 91
 - diameter 85, 86
 - size 22, 28
 - volume 23, 29
- Yolksac** 42, 46, 49, 67, 69–72, 75, 79, 89, 146, 218, 253
- Zander** 174
- Zoarces viviparus* 41, 42
- Zoarcidae** 42
- Zoarcoidei** 42
- Zona radiata** 20, 22, 50
- Zooplanktivory** 96, 97
- Zygote** 9, 25, 28